COMMONWEALTH BUREAU
OF
PASTURES AND FIELD CROPS
HURLEY
3 OCT
Ab. by
DATE
Ab. entitled to

HERBAGE REVIEWS

VOL. 3. NOS 1—4.

Herbage Publication Series

PUBLISHED BY THE

IMPERIAL BUREAU OF PLANT GENETICS: HERBAGE PLANTS

ABERYSTWYTH GREAT BRITAIN

Acacia, 82, 137, 139, 140, 141, 148
Adesmia, 46
Agropyron (*um*), 80, see refs. p. 102, 120, 188, 204
A. cristatum, 57, 120
A. desertorum, 120
A. elongatum, 120
A. glaucum, 120
A. intermedium, 57
A. junceum, 120
A. ramosum, 120
A. repens, 120, 177, 189
A. scabrum, 144, 146
A. sibiricum, 120
A. tenerum, 95, 120
A. trichophorum, 120
Agrostis, 41, see refs. p. 101, 187, 190, 204
A. alba, 172, 189
A. myriantha, 165, 166
A. scabra, 146
A. stolonifera, 70, 75, 189, 190
A. tenuis, 189, 190
A. venusta, 146
A. vulgaris, 65
Aira, 64, 66, see refs. p. 102, 145
Alopecurus, 6, 20, 36, 40, 70, see refs. p. 102, 170
Alysicarpus, 9, 165
A. longifolius, 60
A. rugosus, 60
A. vaginalis, 166
Amphibromus, 139, 140
Amphilophis,
A. glabra, 59
A. intermedia, 141, 143
Andropogon, 82, see refs. p. 101, 143, 147, 155, 188
A. aciculatus, 166
A. eloittii, 162
A. furcatus, 81
A. hygrometrica, 143
A. nardus, 165, 166
A. scoparius, 162
A. sorghum var. *Sudanensis*, 188
A. squarrosus, 166
Angophora, 144
Anthephora, 82
Anthistiria, 166
Anthoxanthum, 41, 162
Apluda, 162, 166
Arachis, see refs. p. 102
Aristida, 82, 138, 139, 140, 141, 143, 144, 147
Arrhenatherum, 23, 42, 70, see refs. p. 101
Arthraxon, 166
Arundinaria, 162
Arundinella, 147, 166
Arundo, 162, 166
Astrebla, 138, 142, 143, 147, 173
Atalaya, 141
Atriplex, 138, 140, 141, 173
Avena, 64, 66, see refs. p. 101, 150
A. aspersa, 165, 166
A. elatior, 65, 67
A. flavescens, 65
Axonopus, 148, 156

Boissiera, 163
Bothriochloa, 144
Bouteloua, 81, see refs. p. 102, 188
Brachiaria, 58
B. brizantha, 58
B. decumbens, 58
B. dictyoneura, 58
B. distachya, 58
B. Gilesii, 141
B. mutica, 148, 162
Brachyachne, 147
Brachychiton, 141, 144
Brachypodium
B. pinnatum, 66
B. phoenicoides, 58
Briza, 145
Bromus, 42, see refs. p. 101, 150, 163, 188, 204
B. arvensis, 69, 70, 73, 74, 120
B. erectus, 64, 65, 66
B. inermis, 42, 57, 95, 120, 177
B. marginatus, 57
B. unioloides, 53, 54, 57, 140
Buchloë, 81

Cajanus, see refs. p. 102
Calamagrostis, 145, 188
C. aemula, 146
C. canadensis, 188
C. nivalis, 146
C. quadriseta, 146
Calandrinia, 138
Cassia, 138
Casuarina, 144
Cenchrus, 139
C. biflorus, 143
C. ciliare, 131
C. ciliaris, 59
C. tribuloides, 162
Centotheca, 139

Chamaeraphis, 166
Chionachne, 147
Chloris, 49, 53, 54, see refs. p. 101, 141, 143, 144, 147, 162
C. gayana, 130, 141, 148, 155
C. pycnothrix, 58
Chrysopogon, 143
Cicer, see refs. p. 102
Coix, 162, 166
Crotalaria, 10, 13, 82, see refs. p. 102
C. goreensis, 61
C. maxillaris, 61
C. usaramoensis, 61
Cryptostemma, 150, 151
Cyamopsis, 157
Cymbopogon, 143, 147
Cynodon, 48, 82, see refs. p. 101, 162, 165
C. convergens, 143
C. dactylon, 144, 148, 156, 162, 165, 166
Cynosurus, 65, 67, 70
Cyperus, 166

Dactylis, 6, 23, 41, 42, 53, 54, 57, 64, 67, 69, 70, see refs. p. 101, 131, 140, 147, 148, 156, 170, 189, 192
Danthonia, 142, 144, 145, 147, 188
D. carphoides, 140, 144
D. pallida, 144, 145, 146
D. pauciflora, 146
D. penicillata, 147
D. pilosa, 146
D. robusta, 146
D. semi-annularis, 144, 145
D. spicata, 190
Deschampsia, 188
Desmodium, 9, 155, 165, 166
Dichanthium, 138, 141, 142, 143, 144, 147
Dichelachne, 145
Digitaria, 48, 82, see refs. p. 101
D. didactyla, 148
D. exilis, 162
D. longiflora, 166
D. milangiana, 58
D. pentzii, 58
D. sanguinalis, 166
D. valida, 58
Dolichos, see refs. p. 102
D. lablab, 134, 157

Echinochloa, 48, see refs. p. 102, 162
Ehrharta, 53, 55, 58, 149
Eleusine, 143, 156, 162, 165, 166
Elymus, 80, 120, 188
Eragrostis, 128, 137, 138, 139, 140, 141, 174
E. abyssinica, 155
E. amabilis, 166
E. eriopoda, 138, 139, 143
E. gangetica, 166
E. interrupta, 166
E. laniflora, 139
E. major, 166
E. nigra, 166
E. superba, 58
E. tenuifolia, 58
E. trachycarpa, 144
Eriachne, 143, 147
Erianthus, 165, 166
Eriochloa, 141
Erodium, 144, 145, 150
Erythrophloeum, 82
Euchlaena, see refs. p. 101, 153, 162
Eulalia, 141, 143, 144, 147
Eustachys, 82, 162

Festuca, 41, 57, see refs. p. 101, 150, 188, 192, 204
F. arundinacea, 131
F. bromoides, 140
F. distans, 65
F. duriuscula, 70
F. elatior, 57, 64, 189
F. Mairei, 57
F. ovina, 65
F. pratensis, 20, 23, 41, 42, 70, 71, 172
F. rubra, 21, 41, 42, 63, 70, 77, 120, 179
Fimbristylis, 166

Gastrolobium, 82
Geijera, 141
Genista, 66
Glyceria, 188
Glycine, 9, 61, see refs. p. 102, 205
G. hispida, 133, 157
Gomphrena, 147
Gynerium, 162

Hierochloë, 145, 188
H. Fraseri, 146
H. redolens, 145
Helianthus, 21, 78, 81
Heracleum, 6
Heteropogon, 143, 147
Holcus, 64, 66, 145, 172
Hordeum, 140, 150, 151
Hygrorhiza, [*Hygroryza*], 166

Ichnanthus, 166
Imperata, 147, 165, 166
Indigofera, 82
Isachne, 166
Ischaemum, see refs. p. 101, 143, 147
I. aristatum, 166
I. ciliare, 166
I. laxum, 143
I. sulcatum, 59
Iseilema, 142, 143, 147
Isotropis, 82
Ixophorus,
I. unisetus, 58

Koeleria, 188
K. cristata, 66, 81, 145

Lathyrus, 41, 42
L. incurvus, 120
L. montanus, 66
L. pratensis, 64
L. tuberosus, 120
Leersia, 165, 166
Leptochloa, 138, 143
Lepturus, 162
Lespedeza, 9, see refs. p. 102, 203, 204
L. cuneata, 9
L. sericea, 13
L. stipulacea, 60
L. striata, 10, 60, 134
Lolium, 53, see refs. p. 101, 131, 140, 147, 151, 192, 204
L. italicum, 20, 23, 119, 156
L. multiflora, 94
L. perenne, 42, 53, 54, 64, 65, 67, 69, 70, 140, 148, 156, 172, 189, 203
L. temulentum, 48
Lotus, 83, see refs. p. 102
L. angustissims, 149
L. australis, 10
L. corniculatus, 10, 120, 148
L. hispidus, 148, 149
L. major, 120, 148
L. tenuifolius, 60
L. uliginosus, 66, 120
L. villosus, 120
Lupinus, 22
L. varius, 149

Malva, 144
Medicago, 10, 16, 53, 78, 91, see refs. p. 102, 144, 150, 151, 167, 175, 204, 205
M. carstiensis, 60
M. coerulea, 175
M. denticulata, 53, 55, 137, 145, 150, 151
M. falcata, 66, 95, 96, 175, 176, 189
M. glutinosa, 60, 175
M. hemicycla, 175
M. lupulina, 53, 55, 64, 175
M. media, 175, 176
M. sativa, 56, 95, 132, 148, 175, 176, 189
Melica, 162
Melilotus, 46, 55, 83, see refs. p. 102, 134, 167, 188, 204
M. albus, 94, 95, 123, 124, 125, 173, 190
M. dentatus, 65, 123
M. indica, 53
M. officinalis, 94, 123, 124, 125, 190
M. parviflora, 53, 55, 156
M. suaveolens, 123, 125
Melinis, 148, 162
Microlaena, 145, 146
Miscanthus, 162
Molinia, 66
Muhlenbergia, 188

Nardus, 65, 66, see refs. p. 102
Neurachne, 138, 139, 140, 144
Neyraudia, 166

Onobrychis, 94, see refs. p. 102, 134
O. cyri, 120
O. iberica, 120
O. oxytropoides, 120
O. Ruprechtii, 120
O. transcaucasia, 120
O. viciifolia, 66
Oplismenus, 162, 165, 166
Ornithopus, 22, 46, 134
Oryzopsis, 57, 188
Owenia, 141

Panicum, see refs. p. 101, 139, 142, 144, 147, 165, 188
P. antidotale, 141
P. barbinode, 53, 55, 148, 156
P. colonum, 166
P. crus-galli, 143, 165, 166
P. decompositum, 138, 139, 143
P. distachyum, 58, 166
P. divaricatissimum, 138, 142, 144
P. flavidum, 165, 166
P. humile, 166
P. indicum, 166
P. interruptum, 166
P. isachne, 59
P. javanicum, 165, 166

P. jumentorum, 154
P. lachnophyllum, 141
P. maximum, 59, 131, 148
P. montana, 166
P. myosuroides, 141, 166
P. myurus, 165, 166
P. patens, 166
P. proliferum, 166
P. prolutum, 144
P. repens, 165, 166
P. tricocladum, 59
P. typheron, 166
Pappophorum, 137, 143
Paractaenum, 139
Paspalidium, 141
Paspalum, 10, 48, 53, see refs. p. 101, 148
P. conjugatum, 148, 166
P. dilatatum, 53, 54, 55, 131, 148, 155, 156
P. distichum, 147, 148
P. paniculatum, 148
P. scrobiculatum, 165, 166
Pennisetum, see refs. p. 101
P. cenchroides, 59
P. ciliare, 59, 143
P. clandestinum, 53, 54, 148, 155, 162
P. Merkeri, 156
P purpureum, 49, 131, 148, 153
P. spicatum, 131
Perotis, 143
Phalaris, see refs. p. 101, 188
P. arundinacea, 57, 64, 69, 70, 162, 188
P. coerulescens, 57
P. minor, 151
P. stenoptera, 57
P. tuberosa, 53, 54, 148
Phaseolus, see refs. p. 102
P. aconitifolius, 157
P. mungo, 157
P. radiatus, 157
Phleum, 20, 23, 36, 39, 41, 42, 69, 70, 80, 84-9, 94, see refs. p. 101, 148, 170, 188, 189, 192, 193, 197, 204
P. phleoides, 162
Phragmites, 162, 165, 166
Phyllostachys, 162
Pisum, 22, 42, see refs. p. 102
Poa, see refs. p. 101, 187, 188, 192
P. caespitosa, 144, 145, 146, 147
P. Chaixi (*sudetica*), 64, 66
P. compressa, 187, 189, 192
P. nemoralis, 41, 42
P. palustris, 42, 69, 70, 75, 76, 77
P. pratensis, 21, 42, 63, 69, 70, 77, 94, 156, 170, 187, 189, 192, 197, 204
P. saxicola, 146
P. scabrella, 58
P. trivialis, 67, 70, 189
Pogonarthria, 82
Pogonatherum, 166
Pollinia, 166
Polytrias, 59
Portulaca, 138, 141, 144
Psoralea, 9
Pueraria, see refs. p. 102, 134

Reana, 153
Rhynchelytrum, 156
Rhynchosia, 9
Rottboellia, 147, 165, 166

Saccharum, 165
Sarothamnus, 66
Schismus, 53, 55, 151
Scirpus, 166
Sesbania, 10
Setaria, 48, see refs. p. 102, 129, 139, 143, 165, 166
Sorghum, 48, 53, 55, 130, 143, 147, 155
Spinifex, 136, 137
Sporobolus, 81, 82, 138, 143, 147, 162, 166
Stenotaphrum, 147
Stipa, 48, 80, 81, 138, 139, 140, 141, 144, 145, 146, 147, 188
Stizolobium, 134, 157
Stylosanthes, 10, see refs. p. 102
S. guyannensis, 11, 60
S. mucronata, 10, 53, 56, 148
S. sundaica, 10, 11, 53, 56, 148

Themeda, 24, 82, 143, 144, 147
T. australis, 143, 144, 146, 147
T. avenacea, 141
Tephrosia, 82
Thysanolaena, 166
Tragus, 141
Trifolium, 10, see refs. p. 102, 150, 159
T. alexandrinum, 49, 148, 152, 164, 173
T. angustifolium, 145
T. canescens, 59
T. cernuum, 53, 55, 148, 149
T. dubium, 173
T. fragiferum, 53, 56, 65, 148, 173
T. glomeratum, 53, 55, 148, 149, 151
T. hybridum, 22, 43, 53, 55, 73, 148, 189, 193, 204

T. incarnatum, 22, 148, 149
T. johnstoni, 59
T. medium, 66
T. montanum, 59, 60, 66
T. ochroleucum, 59
T. pratense, 36, 53, 55, 63, 73, 148, 178, 181, 187, 189, 193, 197, 203, 204
T. procumbens, 145
T. repens, 10, 14, 22, 53, 55, 59, 63, 77, 83, 148, 170, 172, 189, 203
T. spadiceum, 64, 66
T. subterraneum, 49, 53, 55, 148, 149, 173, No. 3 iii.
T. tomentosum, 145
T. tumens, 59
Tripsacum, 162
Triraphis, 137, 139, 140, 141
Triodia, 136, 137, 139, 143
T. decumbens, 66
T. irritans, 140
T. pungens, 141
Tripsacum, see refs. p. 101
Trisetum, 42
T. subspicatum, 146
Triticum, 64, 67, 120, 148

Urochloa, see refs. p. 102

Vicia, 41, 42, see refs. p. 102, 165, 166
V. cassubica, 120
V. cracca, 120
V. dumetorum, 120
V. faba, 22
V. narbonensis, 22
V. pisiformis, 120
V. pyrenaica, 120
V. sativa, 134
V. sepium, 64, 120
V. tenuifolia, 120
V. villosa, 134
Vigna, see refs. p. 102
V. catjang, 133, 157
V. sinensis, 133

Xerochloa, 147

Zea, 82, 97, 157, 162
Zornia, 9

HERBAGE REVIEWS—1935—SUMMARY OF CONTENTS.

Page.

Original Articles.

Methods of studying grassland stands. E. Klapp ..... 1—8
Pasture legumes for tropical and subtropical Australia. Review of present knowledge. W. Hartley. ..... 9—11
Grassland improvement in Uruguay. A. Boerger. ..... 47—52
Plant introduction in relation to pasture development in Australia. A. McTaggart. ..... 53—6
Pasture plant introduction work of the Australian Council for Scientific and Industrial Research. A. McTaggart. ..... 56—61
The indicator value of some meadow plants in Central Germany. E. Klapp. ..... 62—8
Articles on Canadian research. Foreword. L. E. Kirk 123
The improvement of sweet clover (*Melilotus*) in Western Canada. T. M. Stevenson. ..... 123—7
Hay and fodder grasses and legumes in the Union of South Africa. A. R. Saunders. ..... 128—35
A survey of the pastures of Australia. A. McTaggart. ..... 136—51
Fodder and forage crops at Pusa. Wynne Sayer..... 152—8
The origin and ecological adaptation of the agricultural grasses, clovers and alfalfa of Eastern Canada. O. McConkey ..... 185—92
Red clover strains in Eastern Canada. J. Norman Bird..... 193—6

Reviews.

A weighing apparatus for experiment fields (with two figures). 12
Lespedeza in the United States. 13
Utilization of mown pastures. ..... 14—5
Effect of time of cutting on lucerne. ..... 16—9
Forage crop research in Prussia. [Reviewer : G. M. Roseveare]. ..... 20—3
Meadow plants on peat land. [Reviewer : R. Peter Jones.] ..... 69—77
Plant biology in U.S.A. [Reviewer : M. Hall.]..... 78—81
Poison plants. 82
Five years of A.I.V. fodder. 83
The supply of clover seed in Denmark. ..... 159—62
Taxonomy and cytology of the Gramineae. ..... 162—3
Forage production in Algeria. ..... 163—4
Grasses, sedges and legumes of Assam. ..... 164—6
Meteorological factors and growth. ..... 197—9
Pasture management in Norway. ..... 200—1
Land utilization and improvement in Great Britain. 202

Soviet Research.

Transactions of the Botanical Institute of the Academy of Sciences. 31
Grassland Conference at Kachalkino, 1934. ..... 32—3
The Botanical Laboratory of the Lesghaft Research Institute. 34
The Flora of U.S.S.R. 35
Anniversary celebrations at the Institute of Plant Industry, Leningrad. 35
Vernalization of perennial plants—grasses and clovers. ..... 36—40
Hardiness in lucerne varieties. V. A. Novikov. ..... 91—3
Preliminary information on phasic development in perennial herbage plants. I. V. Koreiša. ..... 94—6
Lucerne in U.S.S.R. ..... 175—7
Red clover in U.S.S.R. ..... 178—84
Investigations on the growth hormone of plants in U.S.S.R. N. G. Cholodny. ..... 210—4

Bibliography.
Bibliography on the taxonomy and agricultural botany of herbage Gramineae. 4. *Phleum.* [Compiled by M. Hall.] .... 84—90

Current Research.
Tabulated extracts from reports .... 99—117

Conferences.
Port Elizabeth, South Africa, 1934. 24
Stockholm, 1934. .... 24—7
Zürich, 1934. .... 27—9
New Zealand, 1934. 30
Copenhagen, 1935. 30
Oxford, 1935..... 30
London, 1935. 30
Quebec, 1934. 97
Stockholm, 1934. 97
Copenhagen, 1935. 98
Regina, Canada, 1933. .... 167—8
Kalmar, Sweden, 1935. 168
Jämtland, Sweden, 1935. 168
Gembloux, Belgium, 1935. 168
New Zealand, 1933, 1934, and 1935. .... 206—8
Copenhagen, 1935. .... 208—9

Annotations.
Germany, Poland, Finland, Norway, Sweden, Holland, Switzerland, Chile, Uruguay. .... 41—6
Hungary, Italy, Norway, Holland, South Africa, Mauritius, New Zealand. .... 118—21
Germany, Hungary, Finland, Sweden, Denmark, Holland, Belgium, Switzerland, Algeria, Argentina, Uruguay. .... 169—74
Wales, Sweden, Holland, Belgium, Canada, U.S.A., Argentine, Chile. ..... 203—5

HERBAGE REVIEWS—1935—CORRIGENDA.

No. 2. p. 82. line 14. For *Erythrophleum* read *Erythrophloeum.*
No. 2. p. 82. line 27. For *Pimelia* read *Pimelea.*
No. 2. p. 82. line 42. For *Antheplora* read *Anthephora.*
No. 2. p. 82. line 42. For *Raphis* read *Rhaphis.*
No. 2. p. 94. line 3. For soyean read soybean.
No. 3. p. 166. line 1. For *Pogonantherum* read *Pogonatherum.*
No. 3. p. 166. line 16. For *Neyrandia* read *Neyraudia.*

(22020)Wt.P1333C/225/50—11/45/B.P.Co.Ltd./943(11)